WEST Search History



DATE: Wednesday, September 28, 2005

Hide?	Set Name	e Query	Hit Count
	DB=PG	SPB; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
	L4	L3 and (nucleic acid or dna or gene) and ctg	5
	L3	(candida rugosa or candida cylindracea) same (lipase or lipolytic enzyme)	187
	DB=US	PT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
	L2	L1 and (nucleic acid or dna or gene) and ctg	12
	L1	(candida rugosa or candida cylindracea) same (lipase or lipolytic enzyme)	658

END OF SEARCH HISTORY

Hit List

Clear Generate Collection Print Fwd Refs Blawd Refs
Generate OACS

Search Results - Record(s) 1 through 12 of 12 returned.

☐ 1. Document ID: US 6897033 B2

Using default format because multiple data bases are involved.

L2: Entry 1 of 12

File: USPT

May 24, 2005

US-PAT-NO: 6897033

DOCUMENT-IDENTIFIER: US 6897033 B2

TITLE: Fungal lipase

DATE-ISSUED: May 24, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Dawson; Thomas Larry Hamilton OH Deangelis; Yvonne Marie Cincinnati OH Johnstone; Kevin Robert Cincinnati OH Cincinnati Kaczvinsky, Jr.; Joseph Robert OH Saunders; Charles Winston Fairfield OH Walter, Jr.; Richard Lee Hamilton OH

US-CL-CURRENT: 435/19; 435/198, 536/23.2

Full Title Citation Front Review Cla	ssification Date Reference Sequences Ait	achments Claims KWMC Draw De
☐ 2. Document ID: US 67742	284 B1	
L2: Entry 2 of 12	File: USPT	Aug 10, 2004

US-PAT-NO: 6774284

DOCUMENT-IDENTIFIER: US 6774284 B1

TITLE: \underline{DNA} encoding a plant lipase, transgenic plants and a method for controlling senescence in plants

sellescence in planes

DATE-ISSUED: August 10, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Thompson; John E. Waterloo CA

Wang; Tzann-Wei Waterloo CA

Hudak; Katalin East Brunswick NJ

Page 2 of 11

Record List Display

Hong; Yuwen

Waterloo

CA

US-CL-CURRENT: 800/290; 435/320.1, 435/419, 435/468, 435/471, 536/23.6, 800/286, 800/287, 800/298

ABSTRACT:

Regulation of expression of senescence in plants is achieved by integration of a gene or gene fragment encoding senescence-induced lipase into the plant genome in antisense orientation. The carnation and Arabidopsis genes encoding senescence-induced lipase are identified and the nucleotide sequences are used to modify senescence in transgenic plants.

51 Claims, 21 Drawing figures Exemplary Claim Number: 19 Number of Drawing Sheets: 25

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De

☐ 3. Document ID: US 6495357 B1

L2: Entry 3 of 12

File: USPT

Dec 17, 2002

US-PAT-NO: 6495357

DOCUMENT-IDENTIFIER: US 6495357 B1

TITLE: Lipolytic enzymes

DATE-ISSUED: December 17, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Fuglsang; Claus Crone	Nivaa		•	DK
Okkels; Jens Sigurd	Frederiksberg		•	DK
Petersen; Dorte Aaby	Birkerod			DK
Patkar; Shamkant Anant	Lyngby			DK
Thellersen; Marianne	Frederiksberg			DK
Svendsen; Allan	Birkeroed			DK
Borch; Kim	Copenhagen			DK
Royer; John C.	Davis	CA		
Kretzschmar; Titus	Vaerloese			DK
Halkier; Torben	Birkeroed			DK
Vind; Jesper	Lyngby			DK
Jorgensen; Steen Troels	Alleroed			DK

US-CL-CURRENT: 435/198; 435/195, 435/196, 435/197

ABSTRACT:

The present invention relates to a modified enzyme with lipolytic activity, a lipolytic enzime capable of removing a substantial amount of fatty matter a one

Record List Display Page 3 of 11

cycle wash, a \underline{DNA} sequence encoding said enzymes, a vector comprising said \underline{DNA} sequence, a host cell harbouring said \underline{DNA} sequence or said vector, and a process for producing said enzymes with lipolytic activity.

63 Claims, 22 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 22

Full Title	Citation Fr	ront Review	Classification	Date	Reference	Sequences	4 stachments	Claims	KWIC	Draw, De

4. Document ID: US 6448046 B1

L2: Entry 4 of 12

File: USPT

Sep 10, 2002

US-PAT-NO: 6448046

DOCUMENT-IDENTIFIER: US 6448046 B1

TITLE: Recombinant animal viral nucleic acids

DATE-ISSUED: September 10, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Donson; Jon	Davis	CA		
Dawson; William O.	Winter Haven	FL .		
Grantham; George L.	Riverside	CA		
Turpen; Thomas H.	Vacaville	CA		
Turpen; Ann M.	Vacaville	CA		
Garger; Stephen J.	Vacaville	CA		
Grill; Laurence K.	Vacaville	CA		

US-CL-CURRENT: <u>435/70.1</u>; <u>435/235.1</u>, <u>435/320.1</u>, <u>435/325</u>, <u>435/455</u>, <u>435/456</u>, <u>435/69.1</u>, <u>536/23.1</u>, <u>536/24.1</u>

ABSTRACT:

The present invention relates to a recombinant viral nucleic acid selected from a (+) sense, single stranded RNA virus possessing a native subgenomic promoter encoding for a first viral subgenomic promoter, a nucleic acid sequence that codes for a viral coat protein whose transcription is regulated by the first viral subgenomic promoter, a second viral subgenomic promoter and a second nucleic acid sequence whose transcription is regulated by the second viral subgenomic promoter. The first and second viral subgenomic promoters of the recombinant viral nucleic acid do not have homologous sequences relative to each other. The recombinant viral nucleic acid provides the particular advantage that it systemically transcribes the second nucleic acid in the host. Host organisms encompassed by the present invention include procaryotes and eucaryotes, particularly animals and plants. The present invention also relates to viruses containing the viral vectors which are infective, production cells which are capable of producing the viruses or parts thereof, a host infected by the viruses of the invention, the gene products produced by expression of the viral nucleic acids and a process for the production of a desired product by growing the infected hosts.

Record List Display Page 4 of 11

3 Claims, 9 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 8

Full Title Citation	Front Review Classific	ation Date Reference	Sequences	Attachments C	laims KWIC Draw.De

5. Document ID: US 6284492 B1

L2: Entry 5 of 12

File: USPT

Sep 4, 2001

US-PAT-NO: 6284492

DOCUMENT-IDENTIFIER: US 6284492 B1

TITLE: Recombinant animal viral nucleic acids

DATE-ISSUED: September 4, 2001

INVENTOR - INFORMATION:

CITY	STATE	ZIP	CODE	COUNTRY
Davis	CA			
Winter Haven	FL			
Riverside	CA			
Vacaville	CA			
	Davis Winter Haven Riverside Vacaville Vacaville Vacaville	Davis CA Winter Haven FL Riverside CA Vacaville CA Vacaville CA Vacaville CA	Davis CA Winter Haven FL Riverside CA Vacaville CA Vacaville CA Vacaville CA	Davis CA Winter Haven FL Riverside CA Vacaville CA Vacaville CA Vacaville CA

US-CL-CURRENT: 435/70.1; 435/235.1, 435/320.1, 435/325, 435/455, 435/456, 435/69.1, 536/23.1, 536/24.1

ABSTRACT:

The present invention relates to a recombinant viral <u>nucleic acid</u> selected from a (+) sense, single stranded RNA virus possessing a native subgenomic promoter encoding for a first viral subgenomic promoter, a <u>nucleic acid</u> sequence that codes for a viral coat protein whose transcription is regulated by the first viral subgenomic promoter, a second viral subgenomic promoter and a second <u>nucleic acid</u> sequence whose transcription is regulated by the second viral subgenomic promoter. The first and second viral subgenomic promoters of the recombinant viral <u>nucleic acid</u> do not have homologous sequences relative to each other. The recombinant viral <u>nucleic acid</u> provides the particular advantage that it systemically transcribes the second <u>nucleic acid</u> in the host. Host organisms encompassed by the present invention include procaryotes and eucaryotes, particularly animals and plants.

The present invention also relates to viruses containing the viral vectors which are infective, production cells which are capable of producing the viruses or parts thereof, a host infected by the viruses of the invention, the <u>gene</u> products produced by expression of the viral <u>nucleic acids</u> and a process for the production of a desired product by growing the infected hosts.

27 Claims, 9 Drawing figures Exemplary Claim Number: 1,7 Number of Drawing Sheets: 8

Full Title Citation Front Review Class	ssification Date Reference Sequences A	A ttachments Claims KWIC Draw De
☐ 6. Document ID: US 60545	66 A	
L2: Entry 6 of 12	File: USPT	Apr 25, 2000

US-PAT-NO: 6054566

L2: Entry 6 of 12

DOCUMENT-IDENTIFIER: US 6054566 A

TITLE: Recombinant animal viral nucleic acids

DATE-ISSUED: April 25, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP (CODE	COUNTRY
Donson; Jon	Davis	CA			•
Dawson; William O.	Winter Haven	FL			
Granthan; George L.	Riverside	CA			
Turpen; Thomas H.	Vacaville	CA			
Turpen; Ann Myers	Vacaville	CA			
Garger; Stephen J.	Vacaville	CA			
Grill; Laurence K.	Vacaville	CA			

US-CL-CURRENT: <u>536/23.1</u>; <u>435/320.1</u>

ABSTRACT:

The present invention relates to a recombinant viral nucleic acid selected from a (+) sense, single stranded RNA virus possessing a native subgenomic promoter encoding for a first viral subgenomic promoter, a nucleic acid sequence that codes for a viral coat protein whose transcription is regulated by the first viral subgenomic promoter, a second viral subgenomic promoter and a second nucleic acid sequence whose transcription is regulated by the second viral subgenomic promoter. The first and second viral subgenomic promoters of the recombinant viral nucleic acid do not have homologous sequences relative to each other. The recombinant viral nucleic acid provides the particular adivantage that it systemically transcribes the second nucleic acid in the host. Host organisms encompassed by the present invention include procaryotes and eucaryotes, particularly animals and plants.

The present invention also relates to viruses containing the viral vectors which are infective, production cells which are capable of producing the viruses or parts thereof, a host infected by the viruses of the invention, the gene products produced by expression of the viral nucleic acids and a process for the production of a desired product by growing the infected hosts.

1 Claims, 9 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 8

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De	
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------	--

☐ 7. Document ID: US 5969121 A

L2: Entry 7 of 12

File: USPT

Oct 19, 1999

US-PAT-NO: 5969121

DOCUMENT-IDENTIFIER: US 5969121 A

TITLE: Stable biocatalysts for ester hydrolysis

DATE-ISSUED: October 19, 1999

INVENTOR - INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Allen; Larry	Northfield	IL		
Aikens; John	LaGrange Park	IL		
Fonstein; Michael	Chicago	İL		
Vonstein; Veronika	Chicago	IL		
Demirjian; David	Chicago	IL		
Casadaban; Malcolm	Chicago	IL		

US-CL-CURRENT: 536/23.1; 435/19, 435/196, 435/69.1, 536/23.2

ABSTRACT:

The instant invention encompasses isolated stable esterase enzymes characterized by the ability to remain stable at certain temperatures, substrate specificities, and activity profile.

12 Claims, 121 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 47

Full	Title Citat	ion Front	Review	Classification	Date	Reference	Sequences	-Hadoneria	Claims	KWAC	Drawu De
	8. Docu	ment ID:	JP 200)3144162 A							······
L2: E	ntry 8 o	f 12			I	File: JE	PAB		May	20,	2003

PUB-NO: JP02003144162A

DOCUMENT-IDENTIFIER: JP 2003144162 A TITLE: RECOMBINANT CANDIDA RUGOSA LIPASE

PUBN-DATE: May 20, 2003

INVENTOR-INFORMATION:

NAME COUNTRY

CHEI-FUU, SHOO KUAN-CHIUN, LEE SHII-CHIE, TAN

Page 7 of 11 Record List Display

INT-CL (IPC): C12 N 15/09; C12 N 1/19; C12 N 1/21; C12 N 9/20

ABSTRACT:

PROBLEM TO BE SOLVED: To provide a nucleic acid that can be used to functionally express a heterologous C. rugosa lipase in a common host cell, a lipase having a specific property for industrial applications and a microorganism capable of producing the lipase.

SOLUTION: This isolated nucleic acid comprises a mutant DNA encoding a Candida rugosa lipase, wherein the mutant DNA is at least 80% identical to a wild-type DNA encoding the Candida rugosa lipase, and includes at least 12 codons corresponding to CTG codons in the wild-type DNA, each of the 12 codons, independently, being TCT, TCC, TCA, TCG, AGT, or AGC. A chimeric Candida rugosa lipase comprises a substrate interacting domain of a first C. rugosa lipase and a non-substrate interacting domain of a second C. rugosa lipase. This C. rugosa lipase is encoded by the nucleic acid. This microorganism comprises the nucleic acid.

COPYRIGHT: (C) 2003, JPO

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
	_											

9. Document ID: EP 1288294 A2

L2: Entry 9 of 12

File: EPAB

Mar 5, 2003

PUB-NO: EP001288294A2

DOCUMENT-IDENTIFIER: EP 1288294 A2

TITLE: Recombinant Candida rugosa lipases

PUBN-DATE: March 5, 2003

INVENTOR - INFORMATION:

NAME COUNTRY

TANG, SHYE-JYE TW LEE, GUAN-CHIUN TW SHAW, JEI-FU TW

 $\text{INT-CL (IPC)} : \underline{\text{C12}} \ \underline{\text{N}} \ \underline{9/20}; \ \underline{\text{C12}} \ \underline{\text{N}} \ \underline{15/09}; \ \underline{\text{C12}} \ \underline{\text{N}} \ \underline{15/55}; \ \underline{\text{C12}} \ \underline{\text{N}} \ \underline{15/62}; \ \underline{\text{C12}} \ \underline{\text{N}} \ \underline{15/67}$

EUR-CL (EPC): C12N009/20

ABSTRACT:

CHG DATE=20030403 STATUS=O>????The present invention features an isolated nucleic acid encoding a mutant Candida rugosa lipase, wherein the mutant nucleic acid is 80% identical to a wilt-type DNA encoding a Candida rugosa lipase, and where at least 12 of the CTG codons, corresponding to serine in the wild-type DNA, have been replaced by a universal serine codon. The Candida rugosa lipase can be lipase 1,2,3,5 or 8.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawt De

☐ 10. Document ID: JP 2005185291 A, EP 1288294 A2, JP 2003144162 A, US 20030124701 A1, JP 2005185290 A

L2: Entry 10 of 12

File: DWPI

Jul 14, 2005

DERWENT-ACC-NO: 2003-395476

DERWENT-WEEK: 200546

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Isolated mutant <u>nucleic acid</u> encoding <u>Candida rugosa lipase</u>, useful for the preparation of <u>Candida rugosa lipase</u> for biocatalytic applications

INVENTOR: LEE, G; SHAW, J; TANG, S; LEE, K C; SHOU, T F; TAN, S C

PRIORITY-DATA: 2001US-0943857 (August 31, 2001), 2001JP-0328304 (October 25, 2001), 2005JP-0053891 (February 28, 2005), 2005JP-0053906 (February 28, 2005)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
JP 2005185291 A	July 14, 2005		034	C12N009/20
EP 1288294 A2	March 5, 2003	E	033	C12N009/20
JP 2003144162 A	May 20, 2003		071	C12N015/09
US 20030124701 A1	July 3, 2003		000	C12N009/20
JP 2005185290 A	July 14, 2005		035	C12N015/09

INT-CL (IPC): $\underline{\text{C07}}$ $\underline{\text{H}}$ $\underline{\text{21}}/\underline{\text{04}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{1}}/\underline{\text{18}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{1}}/\underline{\text{19}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{1}}/\underline{\text{21}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{9}}/\underline{\text{20}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{15}}/\underline{\text{67}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{15}}/\underline{\text{74}}$; $\underline{\text{C12}}$ $\underline{\text{P}}$ $\underline{\text{21}}/\underline{\text{02}}$

ABSTRACTED-PUB-NO: EP 1288294A BASIC-ABSTRACT:

NOVELTY - An isolated <u>nucleic acid</u> (I) comprising a mutant <u>DNA</u> encoding <u>Candida rugosa lipase</u> (II) which comprises a sequence having at least 80% identity to a wild-type <u>DNA</u> encoding (II) and includes at least 12 codons corresponding to <u>CTG</u> codons in the wild-type <u>DNA</u>, or comprising a sequence (S2) of 1469, 1532, 1548 or 1541 nucleotides fully defined in the specification or its degenerate variant, is new.

DETAILED DESCRIPTION - An isolated <u>nucleic acid</u> (I) comprising a mutant <u>DNA</u> encoding <u>Candida rugosa lipase</u> (II). The mutant <u>DNA</u> comprises a sequence having at least 80% identity to a wild-type <u>DNA</u> encoding (II), and includes at least 12 codons corresponding to <u>CTG</u> codons in the wild-type <u>DNA</u>, where each of the 12 codons, independently, are TCT, TCC, TCA, TCG, AGT or AGC, provided that (II) is not C.rugosa <u>lipase</u> 4. (II) comprises a sequence (S2) of 1469, 1532, 1548 or 1541 nucleotides fully defined in the specification or its degenerate variant.

INDEPENDENT CLAIMS are also included for the following:

- (1) A microorganism (III) comprising (I), where (III) is a bacterium or yeast;
- (2) Preparing a mutant DNA encoding a C.rugosa lipase;
- (3) A chimeric C.rugosa lipase comprising a substrate interacting domain of a first C.rugosa lipase and a non-substrate interacting domain of second C.rugosa lipase.

Page 9 of 11

USE - The method is useful for preparing a mutant \underline{DNA} encoding a $\underline{Candida\ rugosa}$ \underline{lipase} (claimed). (I) is useful in the large scale manufacture of $\underline{Candida\ rugosa}$ lipase which is useful for biocatalytic applications.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De The Title District Total Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De Title District Total Document ID: EP 1130100 A1

L2: Entry 11 of 12 File: DWPI Sep 5, 2001

DERWENT-ACC-NO: 2001-649825

DERWENT-WEEK: 200175

Record List Display

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Modified lipolytic enzymes with altered substrate specificity, useful for biocatalytic applications comprising high specificity towards carbon 16 and carbon 18 acyl chains

INVENTOR: BORNSCHEUER, U T; BROCCA, S ; PLEISS, J ; SCHMID, R D ; SCHMID, U ; SCHMITT, J

PRIORITY-DATA: 2000EP-0200513 (February 14, 2000)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 EP 1130100 A1
 September 5, 2001
 E
 033
 C12N015/55

INT-CL (IPC): C12 N 9/20; C12 N 15/55; C12 Q 1/68

ABSTRACTED-PUB-NO: EP 1130100A BASIC-ABSTRACT:

NOVELTY - A variant, (I), of a parent <u>lipase</u>, with altered property, encoded by an amino acid sequence having at least 65% homology with <u>Candida rugosa lipase</u> comprising a sequence of 534 amino acids fully defined in the specification, and which differs by at least one amino acid substitution at a selected site or at a non-selected site by random mutagenesis in the lipase, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (1) a modified <u>nucleic acid</u> sequence (II) encoding a lipase variant, where the variant is the ripening form of C.rugosa lipase selected from pre, pro, prepro or mature lipase, where the <u>nucleic acid</u> sequence comprises 60% or less of the <u>CTG</u> codons at positions encoding serine as present in the corresponding native C.rugosa encoding sequence, where the <u>CTG</u> codons are replaced by a universal codon for serine, the modified <u>nucleic acid</u> sequence is further modified, such that lipase variant exhibits an altered property;
- (2) an expression vector (III) comprising (II), operably linked to a promoter;
- (3) a recombinant <u>DNA</u> (rDNA) modified host organism (IV) which has been transformed by a <u>DNA</u> vector carrying (II) and which is capable of expressing the lipase variant;
- (4) producing (I); and

Page 10 of 11

Mar 25, 1999

(5) an enzymatic composition comprising (I).

USE - (I) are useful in a manner known per se in a process requiring high specificity towards 16-18C acyl chains. (II) is useful as a probe for picking up a natural lipase by hybridization (claimed). (I) is useful in biocatalytic applications.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Segvences	Attachments	Claims	KWIC	Draw, De
							· · · · · · · · · · · · · · · · · · ·					
П	12:	Docum	nent II	o: WO	9914338 A	1. EP	1012301	A1. AU 9	742249 A			

File: DWPI

DERWENT-ACC-NO: 1999-229539

DERWENT-WEEK: 200035

L2: Entry 12 of 12

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Synthesis and functional overexpression of a <u>Candida rugosa lipase gene</u> coding for a major industrial lipase

INVENTOR: ALBERGHINA, L; BROCCA, S; LOTTÍ, M; SCHMID, R; SCHMIDT-DANNERT, C

PRIORITY-DATA: 1997WO-NL00524 (September 16, 1997)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
WO 9914338 A1	March 25, 1999	E	044	C12N015/55
EP 1012301 A1	June 28, 2000	E	000	C12N015/55
AU 9742249 A	April 5, 1999		000	C12N015/55

INT-CL (IPC): C12 \underline{N} $\underline{1}/\underline{19}$; C12 \underline{N} $\underline{9}/\underline{20}$; C12 \underline{N} $\underline{15}/\underline{55}$

ABSTRACTED-PUB-NO: WO 9914338A

BASIC-ABSTRACT:

NOVELTY - Pure <u>Candida rugosa lipase</u> 1, free of <u>lipases</u> 2-5, can be obtained without using extensive working up procedures.

DETAILED DESCRIPTION - Nucleic acid sequence (I) or its variant (Ia) encoding a ripening form of native <u>Candida rugosa lipase</u> (pre, pro, prepro or mature <u>lipase</u>) comprises at most 60% of the <u>CTG</u> codons at positions encoding serine as present in the corresponding native C.rugosa encoding sequence, the <u>CTG</u> codons having been replaced by a universal codon for serine. The <u>lipase is preferably lipase</u> 1.

INDEPENDENT CLAIMS are included for the following:

- (1) expression vectors comprising a $\underline{\text{nucleic acid}}$ sequence as above, operatively linked to a promoter;
- (2) microorganisms other than C.rugosa comprising a sequence or expression vector as above, preferably comprising more than 1 sequence;
- C.rugosa lipase contaminated by at most 20%, preferably 5%, of other C.rugosa protein or free of other C.rugosa lipase i.e. homogenous C. rugosa lipase; and

(3) industrial scale production of C.rugosa lipase 1, free from lipases 2-5.

USE <u>- Lipases</u> produced by <u>Candida rugosa</u> are extensively used in industrial bioconversions, and the pure <u>lipase</u> 1 can be used in a process requiring high specificity towards acyl chains shorter than 14C

ADVANTAGE - Lipase 1, free of 2-5, can be obtained without using extensive and expensive working up procedures. Pure lipase 1 exhibits higher activity towards caprinate than towards palmitate.

Full	Title Citation	Front	Review	Classification	Date	Reference	Sequences	Attachment	& Claims	KWIC	Draw, De
Clear	Gene	erate Col	lection	Print		wd Refs	Bkwd	Refs	Gener	ate OA	cs l
27.01 × 34.24.00				Artico)							
	Terms					N.		Docu	ments		
	L1 and (n	ucleic a	cid or d	na or gene)	and o	etg				12	

Display Format:	-	Change Format

Previous Page Next Page Go to Doc#

Hit List



Search Results - Record(s) 1 through 5 of 5 returned.

☐ 1. Document ID: US 20050198706 A1

L4: Entry 1 of 5 File: PGPB Sep 8, 2005

PGPUB-DOCUMENT-NUMBER: 20050198706

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050198706 A1

TITLE: Lipases and methods of use

PUBLICATION-DATE: September 8, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 McCutchen, Billy F. ΙA US Clive Abad, Andre R. W. Des Moines ΙA US US Johnston ΙA Wong, James F. Urbandale ΙA US Yu, Cao Guo

US-CL-CURRENT: 800/279; 435/468

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
										•		

☐ 2. Document ID: US 20050188439 A1

L4: Entry 2 of 5

File: PGPB Aug 25, 2005

PGPUB-DOCUMENT-NUMBER: 20050188439

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050188439 A1

TITLE: Methods for enhancing insect resistance in plants

PUBLICATION-DATE: August 25, 2005

INVENTOR-INFORMATION:

CITY COUNTRY NAME STATE RULE-47

Clive US McCutchen, Billy F. ΙA Abad, Andre R. W. Des Moines ΙA US

US-CL-CURRENT: 800/279; 435/468

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi De

☐ 3. Document ID: US 20030199069 A1

L4: Entry 3 of 5

File: PGPB

Oct 23, 2003

PGPUB-DOCUMENT-NUMBER: 20030199069

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030199069 A1

TITLE: Novel lipolytic enzymes

PUBLICATION-DATE: October 23, 2003

INVENTOR-INFORMATION:

CITY STATE COUNTRY RULE-47 NAME CA DK Fuglsang, Claus Crone Nivaa Okkels, Jens Sigurd Frederiksberg C. DK Petersen, Dorte Aaby DK Valby DK Patkar, Shamkant Anant Lyngby Frederiksberg C. DK Thellersen, Marianne DK Svendsen, Allan Birkeroed Borch, Kim Kobenhavn K DK Davis US Royer, John C. Vaerlose DK Kretzschmar, Titus Halkier, Torben Birkeroed DK Lynqby DK Vind, Jesper DK Jorgensen, Steen Troels Alleroed

US-CL-CURRENT: 435/198; 435/320.1, 435/325, 435/69.1, 536/23.2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KOMC	Dram, De
					•							

☐ 4. Document ID: US 20030124701 A1

L4: Entry 4 of 5

File: PGPB

Jul 3, 2003

PGPUB-DOCUMENT-NUMBER: 20030124701

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030124701 A1

TITLE: Recombinant Candida rugosa lipases

PUBLICATION-DATE: July 3, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Shaw, Jei-Fu Taipei TW Lee, Guan-Chiun Taipei TW Tang, Shye-Jye

Taipei

 \mathbf{TW}

US-CL-CURRENT: 435/198; 435/254.22, 435/320.1, 435/69.1, 536/23.2

am. De
3

PGPUB-DOCUMENT-NUMBER: 20030065148

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030065148 A1

TITLE: Method for expression of human interferon alpha 1 in Pichia pastoris

PUBLICATION-DATE: April 3, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Villarete, Lorelie H.	Alameda	CA	US	
Liu, Philip T.	Alameda	CA	US	
Ta, Tuan V.	Alameda	CA	US	

US-CL-CURRENT: <u>530/351</u>; <u>435/254.23</u>, <u>435/320.1</u>, <u>435/69.51</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi De
Clear	Generate Collection			Print Fwd Refs		Bkwd Refs		Generate OACS				
	Ter	ms	-		· <u> </u>				Docum	ents		
L3 and (nucleic acid or dna or gene) and ctg										5		

Display Format: CIT Change Format

Previous Page Next Page Go to Doc#